Safety Data Sheet

Issue Date 21-Sep-2014 Revision Date: 21-Sep-2014 Version 1.0

1. IDENTIFICATION

Product Identifier

Product Name Freshen Up

Other Means of identification

Product Code DO1406

Recommended use of the Chemical and Restrictions on Use

Recommended Use Odor neutralizer. For industrial use.

Details of the Supplier of the Safety Data Sheet

Taylor Labs 140 Private Brand Way Athens, TN 37303

Emergency Telephone Number

Company Phone Number Phone: 1-800-467-6294

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless Physical State Liquid Odor Fresh

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

Unknown Acute Toxicity

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Isopropyl Alcohol	67-63-0	1-5
Nonvlphenoxypolyethoxyethanol	68412-54-4	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

Skin Contact If skin irritation occurs, rinse affected area with water.

Inhalation No known hazardous effects. If symptoms occur, remove to fresh air.

Ingestion Drink plenty of water. If any discomfort persists, obtain medical attention.

Most Important Symptoms and Effects

Symptoms Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye,

and irritation. Prolonged or repeated skin contact may cause irritation.

Indication of Any Immediate Medical Attention and Special Treatment Needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam.

Unsuitable Extinguishing Media

Not determined

Specific Hazards Arising from the Chemical

Flammable.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Collect spillage. Collect in a clean, dry waste container for disposal. After cleaning, flush

away traces with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8.

Ground/bond container and receiving equipment. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Avoid contact with eyes. Observe

good industrial hygiene practices.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

Keep out of the reach of children.

Incompatible Materials None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

| TWA: 400 ppm | TWA: 980 mg/m³ | TWA: 400 ppm | TWA: 980 mg/m³ | TWA: 400 ppm | TWA: 980 mg/m³ | (vacated) TWA: 980 mg/m³ | STEL: 500 ppm | (vacated) STEL: 1225 mg/m³ | STEL: 1225 mg/m³ | STEL: 1225 mg/m³ | TWA: 400 ppm | TWA: 980 mg/m³ | STEL: 500 ppm | STEL: 1225 mg/m³ | STEL: 1225 mg/m³ | TWA: 400 ppm | TWA: 980 mg/m³ | STEL: 500 ppm | STEL: 1225 mg/m³ | TWA: 400 ppm | TWA:

Appropriate Engineering Controls

Engineering Controls Ventilation systems.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection No protective equipment is needed under normal use conditions.

Skin and Body ProtectionNone required under normal use.

Respiratory ProtectionNo protective equipment is needed under normal use conditions.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid

Appearance Clear Odor Fresh

ColorColorlessOdor ThresholdNot determined

Property Values Remarks • Method

pH 7.0 - 7.5

Melting Point/Freezing Point $\sim 0 \% / \sim 32 \%$ Boiling Point/Boiling Range $\sim 100 \% / \sim 212 \%$

Flash Point 39 °C / 102.2 °F Tag Open Cup

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Not determined
Not determined
Not determined
Not determined

Specific Gravity 1.00

Water Solubility Completely soluble @ 25 °C (77 °F)

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. Keep from freezing.

Incompatible Materials

None known.

Hazardous Decomposition Products

When exposed to fire, produces normal products of combustion.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact May cause eye irritation.

Skin Contact Prolonged contact may cause redness and irritation.

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation

hazard.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nonylphenoxypolyethoxyethanol 68412-54-4	= 3310 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Isopropyl Alcohol 67-63-0	= 4396 mg/kg (Rat)	= 12800 mg/kg (Rat) = 12870 mg/kg (Rabbit)	= 72.6 mg/L (Rat) 4 h

Information on Physical, Chemical and Toxicological Effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure

Carcinogenicity Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		Х

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"
OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Numerical Measures of Toxicity

Not determined

Unknown Acute Toxicity Unknown.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Nonylphenoxypolyethoxyethanol 68412-54-4	-	404-706 mg/L	-	-
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50		13299: 48 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined

Bioaccumulation

Not determined

Mobility

Chemical Name	Partition Coefficient
Isopropyl Alcohol 67-63-0	0.05

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated when shipped in containers less than 119 gallons

IATA

<u>IMDG</u>

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

SARA 311/312 Hazard Categories

Acute Health Hazard Yes

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	State List
Isopropyl Alcohol 67-63-0	MA, NJ, PA

AZ – Arizona Ambient Air Quality Guidelines CT – Connecticut Hazardous Air Pollutants

CA - California Director's List of Hazardous Substances

CAP65 – California Prop 65 FL – Florida Substances List

ID - Idaho Non-Carcinogen Toxic Air Pollutants

IL – Illinois Toxic Air Contaminate- Carcinogenic

MA - Massachusetts Right to Know List

MN - Minnesota Hazardous Substances List

NJ – New Jersey Right to Know List

PA – Pennsylvania Right to Know List

RI – Rhode Island Hazardous Substances List

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial HazardsNot determinedNot determinedNot determinedNot determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection10Not determined

Issue Date21-Sep-2014Revision Date:21-Sep-2014

Revision Note New format Version 1.0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

End of Safety Data Sheet

^{*}Denotes changes from last version.